

MATERIAL SAFETY DATA SHEET

Section 1: Identification	
Product name:	Rockbond Concrete Conditioner
Recommended use:	Used as concrete surface dustproofer and hardener.
Company details:	Rockbond SCP Ltd
Address:	7 Te Puni Street, Petone, Lower Hutt, Wellington, New Zealand 5012
Telephone Number:	0800 76 25 26
Emergency telephone num Date of preparation:	nber: 0800 76 25 26 (Hours of Operation 7.30am to 5pm Monday - Friday) January 2022

Section 2: Hazards	Identification
--------------------	----------------

Hazard classification:	 6.1 - ACUTE TOXICITY: ORAL - Category E 8.2 - CORROSIVE TO DERMAL TISSUE - Category B 8.3 - CORROSIVE TO OCULAR TISSUE - Category A This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 and has been classified according to the Hazardous Substances (Classifications) Regulations 2001. This material is not classified as a dangerous good according to criteria in New Zealand Standard 5433:2007 Transport of Dangerous Goods on Land.
Signal word :	Danger
Hazard statements :	May be harmful if swallowed.
	Causes severe skin burns and eye damage.
Precautionary statements	
Prevention :	Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash thoroughly after handling.
Response :	Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
Storage :	Store locked up.
Disposal :	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not	
result in classification:	None known.



Section 3: Composition/information on ingredients

Substance/Mixture: CAS number/other identifiers	Mixture.		
CAS number:	Not applicable.		
Ingredient Name		%	CAS Number
Silicic acid. sodium salt		>=10. <15	1344-09-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4: First-aid measures

STRENGTH IN CONCRETE

Description of necessary first-a Inhalation:	aid measures Get medical attention immediately. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Ingestion:	Get medical attention immediately. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin Contact:	Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

7.19 CONCRETE CONDITIONER

Section 4: First-aid measures

Eye contact:	Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Most important symptoms/	effects, acute and delayed
Potential acute health effect	<u>s</u>
Inhalation:	May give off gas, vapour or dust that is very irritating or corrosive to
	the respiratory system.
Ingestion:	May be harmful if swallowed. May cause burns to mouth, throat
	and stomach.
Skin contact:	Causes severe burns.
Eye contact:	Causes serious eye damage.
Over-exposure signs/sympto	oms
Inhalation:	No specific data.
Ingestion:	Adverse symptoms may include the following: stomach pains.
Skin:	Adverse symptoms may include the following: redness.
Eyes:	Adverse symptoms may include the following: pain, watering,
	redness.
Indication of immediate mee	dical attention and special treatment needed, if necessary
Specific treatments:	Not available.
Notes to physician:	No specific treatment. Treat symptomatically. Contact poison
	treatment specialist immediately if large quantities have been
	ingested or inhaled.
Protection of first-aiders:	No action shall be taken involving any personal risk or without
	suitable training. If it is suspected that fumes are still present, the
	rescuer should wear an appropriate mask or self-contained
	breathing apparatus. It may be dangerous to the person providing
	aid to give mouth-to-mouth resuscitation. Wash contaminated
	clothing thoroughly with water before removing it, or wear gloves.
See toxicological information	n (Section 11)

Section 5: Fire-fighting measures	
Extinguishing media	
Suitable:	Use an extinguishing agent suitable for the surrounding fire.
Not suitable:	None known.
Specific hazards arising	
from the chemical:	In a fire or if heated, a pressure increase will increase occur and the container may burst.
Hazardous thermal	
decomposition products:	No specific data.
Hazchem code:	Not available.



Section 5: Fire-fighting measures

Special precautions for fire-fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment	
for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6: Accidental release measures

Personal precautions, protective equipment and	
emergency procedures:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	•
Small spill:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water- insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7: Handling and storage

Precautions for safe handling: Conditions of safe storage,	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
including any	
incompatibilities:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Section 8: Exposure controls/personal protection

Control parameters Occupational exposure limits

Appropriate engineering controls:	If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure	
controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 8: Exposure controls/personal protection

Individual protection measures

ROC

KBØN

Hygiene measures: Respiratory protection:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection
Eye protection:	time of the gloves cannot be accurately estimated. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 9: Physical and chemical properties

Appearance	
Physical State:	Liquid.
Colour:	Clear.
Odour:	Bland.
Odour threshold:	Not available.
pH:	12
Melting point:	0°C/32°F - water.
Boiling point:	100°C/212°F - water.
Flash point:	Non-combustible.
Burning rate:	Not applicable.
Burning time:	Not applicable.
Evaporation rate:	Not available.
Flammability (solid,gas):	Not available.
Lower and upper explosive	
(flammable) limits:	Not applicable.
Vapour pressure:	Not applicable.
Vapour density:	Not available.
Density:	~1.09 g/cm ³ [20°C (68°F)]
Relative density:	Not available.
Solubility:	Insoluble in the following materials: water.
Solubility in water:	Dilutable.
Partition coefficient: n-	
Octanol/water:	Not available.
Auto-ignition temperature:	Not applicable.
Decomposition temperature:	Not available.
Viscosity:	Not available.

Section 10: Stability and reactivity

The product is stable.
Under normal conditions of storage and use, hazardous reactions will not occur.
No specific data.
Reactive or incompatible with the following materials: acids.
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11: Toxicological information

Information on the likely rout	es of exposure	
Inhalation:	May give off gas, vapour or dust that is very irritating or corrosive to	
	the respiratory system.	
Ingestion:	May be harmful if swallowed. May cause burns to mouth, throat	
	and stomach.	
Skin contact:	Causes severe burns.	
Eye contact:	Causes serious eye damage.	
Symptoms related to the phys	ical, chemical and toxicological characteristics	
Inhalation:	No specific data.	
Ingestion:	Adverse symptoms may include the following: stomach pains.	
Skin contact:	Adverse symptoms may include the following: pain or irritation,	
	redness, blistering may occur.	
Eye contact:	Adverse symptoms may include the following: pain, watering,	
	redness.	
Delayed and immediate effect	s and also chronic effects from short and long term exposure	
Acute toxicity:	Not available.	
Irritation/Corrosion:	Not available.	
Sensitisation:	Not available.	
Potential chronic health effect	<u>s</u>	
General:	No known significant effects or critical hazards.	
Inhalation:	No known significant effects or critical hazards.	
Ingestion:	No known significant effects or critical hazards.	
Skin contact:	No known significant effects or critical hazards.	
Eye contact:	No known significant effects or critical hazards.	
Carcinogenicity:	Suspected of causing cancer. Risk of cancer depends on duration	
	and level of exposure.	
Mutagenicity:	No known significant effects or critical hazards.	
Teratogenicity:	No known significant effects or critical hazards.	
Developmental effects:	No known significant effects or critical hazards.	
Fertility effects:	No known significant effects or critical hazards.	
Chronic toxicity:	Not available.	
Carcinogenicity:	Not available.	
Mutagenicity:	Not available.	
Teratogenicity:	Not available.	
Reproductive toxicity:	Not available.	
Specific target organ toxicity:	Not available.	
Aspiration hazard:	Not available.	
Numerical measures of toxicit	¥	
Acute toxicity estimates:		
Route	ATE	
Oral	4995 mg/kg	

7.19 CONCRETE CONDITIONER

Section 12: Ecological information

Ecotoxicity:	No known significant effects or critical hazards.	
Aquatic and terrestrial toxicity: Not available.		
Persistence/degradability:	Not available.	
Bioaccumulative potential:	Not available.	
Mobility in soil		
Soil/water partition		
Coefficient (Koc):	Not available.	
Other adverse effects:	No known significant effects or critical hazards.	

Section 13: Disposal considerations

protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should be disposed of untreated to the sewer unless fully compliant wit the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be take when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14: Transport information						
Regulatory information	UN number	Proper shipping name	Classes	Packaging group	Label	Additional information
New Zealand Class	Not regulated.		-	-		-
ADG Class	Not regulated.		-	-		-
ADR/RID Class	Not regulated.		-	-		-
IATA Class	Not regulated.		-	-		-
IMDG Clas	Not regulated.		-	-		-

Section 15: Regulatory information

Nov. Zoologid Investory of	
New Zealand Inventory of Chemicals (NZIOC):	All Components are listed or exempted.
HSNO Approval Number:	HSR002658
HSNO Group Standard:	Surface Coatings and Colourants (Corrosive) Group Standard 2006
HSNO Classification:	6.1 - ACUTE TOXICITY: ORAL - Category E 8.2 - CORROSIVE TO DERMAL TISSUE - Category B 8.3 - CORROSIVE TO OCULAR TISSUE - Category A
Australia Inventory (AICS):	All components are listed or exempted.
Safety, health an Environmental regulations specific for the product:	No known specific national and/or regional regulations applicable to this product (including its ingredients).

Section 16: Other information

History

Date of issue/Date of revision: 01/05/2023

	GII : 01/05/2025
Date of previous issue:	January 2022
Version:	4
Key to abbreviations:	ADN = European Provisions concerning the International Carriage of
	Dangerous Goods by Inland Waterway
	ADR = The European Agreement concerning the International
	Carriage of Dangerous Goods by Road
	ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of
	Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL 73/78 = International Convention for the Prevention of
	Pollution From Ships, 1973 as modified by the Protocol of 1978.
	("Marpol" = marine pollution)
	RID = The Regulations concerning the International Carriage of
	Dangerous Goods by Rail
	UN = United Nations
Notice to reader	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.